

according to 1907/2006/EC, Article 31

Page 1/8

Printing date 26.10.2023 Revision: 26.10.2023

Version number 15 (replaces version 14)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Cartechnic Autoglas-Reiniger
- · Article number: 4027289003580
- · UFI: 6SH5-1QCH-X01J-UV49
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU21 Consumer uses: Private households / general public / consumers

- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Auto-Teile-Ring GmbH

Marie-Curie-Str. 3

73770 Denkendorf

Germany

Telefon: +49 (0) 711 - 918979-0 E-Mail: info@cartechnic.de

- · Further information obtainable from: info@cartechnic.de
- · 1.4 Emergency telephone number:

Deutschland: Giftinformationszentrum Mainz - Tel.:+49 (0) 6131 19240 Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Keep out of reach of children.

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

GB -



according to 1907/2006/EC, Article 31

Page 2/8

Printing date 26.10.2023

Revision: 26.10.2023 Version number 15 (replaces version 14)

Trade name: Cartechnic Autoglas-Reiniger

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 64-17-5	ethanol	1-<10%		
EINECS: 200-578-6	Flam. Liq. 2, H225;			
Reg.nr.: 01-2119457610-43-xxxx	Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %			
CAS: 5131-66-8	3-butoxypropan-2-ol	1-<10%		
EINECS: 225-878-4	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 20 %			
Reg.nr.: 01-2119475527-28-XXXX	Specific concentration limit: Eye Irrit. 2; H319: C ≥ 20 %			

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 26.10.2023

Revision: 26.10.2023

Version number 15 (replaces version 14)

Trade name: Cartechnic Autoglas-Reiniger

(Contd. of page 2)

Page 3/8

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not necessary if room is well-ventilated.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Natural rubber, NR

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Page 4/8

Printing date 26.10.2023 Revision: 26.10.2023

Version number 15 (replaces version 14)

Trade name: Cartechnic Autoglas-Reiniger

(Contd. of page 3)

checked prior to the application.

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Colourless · Odour: Alcohol-like · Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

Undetermined. · Flammability Not applicable.

Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. 43 °C · Flash point:

· Decomposition temperature: Not determined.

pH at 20 °C 7.5

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

· Solubility

Fully miscible. · water: Not determined. · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure:

· Density and/or relative density

· Density at 20 °C: 0.98 g/cm³ · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

Fluid

· Important information on protection of health and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not determined.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Page 5/8

Printing date 26.10.2023

Revision: 26.10.2023

Version number 15 (replaces version 14)

Trade name: Cartechnic Autoglas-Reiniger

(Contd. of page 4)

		· 1 0		
Information with regard to physical hazard classes				
· Explosives	Void			
Flammable gases	Void			
· Aerosols	Void			
Oxidising gases	Void			
· Gases under pressure	Void			
Flammable liquids	Void			
Flammable solids	Void			
· Self-reactive substances and mixtures	Void			
· Pyrophoric liquids	Void			
Pyrophoric solids	Void			
Self-heating substances and mixtures	Void			
Substances and mixtures, which emit flammable				
gases in contact with water	Void			
Oxidising liquids	Void			
Oxidising solids	Void			
· Organic peroxides	Void			
· Corrosive to metals	Void			
· Desensitised explosives	Void			

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	LD/LC50 values relevant for classification:		
64-17-5 ethanol			
Oral	LD50	7060 mg/kg (rat)	
Inhalative	LC50 (4 h)	20000 mg/l (rat)	
5131-66-8	5131-66-8 3-butoxypropan-2-ol		
Oral	LD50	3300 mg/kg (rat)	
Dermal	LD50	2000 mg/kg (rat)	

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Page 6/8

Printing date 26.10.2023 Revision: 26.10.2023

Version number 15 (replaces version 14)

Trade name: Cartechnic Autoglas-Reiniger

(Contd. of page 5)

Inhalative LC50 (4 h) 650 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

5131-66-8 3-butoxypropan-2-ol

EC50 (48 h) (static) > 1000 mg/l (daphnia) LC50 (96 h) (static) 560-1000 mg/l (fish)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Page 7/8

Printing date 26.10.2023 Revision: 26.10.2023

Version number 15 (replaces version 14)

Trade name: Cartechnic Autoglas-Reiniger

(Contd. of page 6)

- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be treated like household garbage.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to IMO		
instruments	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Page 8/8

Printing date 26.10.2023

Revision: 26.10.2023

Version number 15 (replaces version 14)

Trade name: Cartechnic Autoglas-Reiniger

(Contd. of page 7)

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

* Data compared to the previous version altered.

- GB —